Opioid Aberrant Behaviour Tracker

Name: _____

DOB: _____ File number: _____

HCN: _____

admission date: _____

Risk Factors

ORT score: _____

- ☐ personal history of addiction
- ☐ family history of addiction
- ☐ history of psychiatric illness
- ☐ history of childhood trauma
- ☐ cigarette smoker
- ☐ criminal history
- ☐ age < 45

Opioid Attitudes

- ☐ states that only opioids work
- ☐ insists on specific opioid or IR opioid
- ☐ intolerant to non-opioid pharmacotherapy
- ☐ not interested in non-opioid therapy

	Aberrant Drug-Related Behaviours	intake																				
Less Serious	requests early refills																					
	requests dose increases																					
	requests opioids for travel or work																					
	increases dose without authorization																					
	replaces vomited dose																					
	hoards opioid																					
	uses opioid for sedation or stress																					
	opioid withdrawal symptoms																					
	nonadherent/resistent to non-opioid Rx																					
	multiple contacts between appointments																					
	requests faxed Rx/walk in appointments																					
	misses appointments																					
	multiple injuries or accidents																					
More Serious	opioid binging																					
	uses opioids for euphoria																					
	reports lost or stolen prescription																					
	sells or gives away opioid																					
	attempts to get opioid from other prescribers																					
	gets opioid from non-medical sources																					
	changes route of administration (IV/nasal)																					
	involved in street drug culture																					
	abuses alcohol or ilicit drugs																					
	drug related crime																					
	forges prescription																					
	refuses urine drug test																					

Observations																					
withdrawal																					
intoxication																					
sedation or cognitive dysfunction																					
unkempt																					
functional decline																					
prescribed opioid not present in UDT																					
non-prescribed opioid in UDT																					
concerns from significant others																					

Atlantic Mentorship Network - Pain & Addiction (this document may be reproduced with this ackowledgment retained)