

## Prison Health Member Interest Group Position Statement on Solitary Confinement

Original: August 7, 2016

Reviewed: November 7, 2022

### Definition and background

Isolation, segregation, separation, cellular, or solitary confinement are some of the terms used to describe a form of confinement where people in prison are separated from the general prison population and held alone in their cell.<sup>1</sup> Solitary confinement refers to any confinement of people in prison for 22 hours or more a day without meaningful human contact,<sup>2</sup> and with limited or no access to rehabilitative programs.

Solitary confinement may be imposed for administrative or disciplinary purposes. For example, a person in prison who has a violent history or is at risk of injury from other people in prison may be placed in administrative segregation; a person in prison who does not follow the rules and regulations of the institution may be placed in disciplinary segregation.

The United Nations (UN) considers any stay in solitary confinement more than 15 days as torture, but the negative consequences of sensory deprivation can be seen as early as 48 hours after segregation.<sup>3</sup> These include the onset of mental illness, exacerbation of pre-existing mental illness, and the development or worsening of physical symptoms.<sup>3-7</sup>

Family physicians are health advocates who are called to be socially accountable.<sup>8,9</sup> The College of Family Physicians of Canada (CFPC) promotes social justice as the pursuit and/or attainment of equity in society.<sup>10</sup> Social justice focuses on addressing the social determinants of health and minimizing their negative effects on individuals' health.<sup>11,12</sup> Accordingly, the CFPC Prison Health Member Interest Group<sup>13</sup> advocates for best health outcomes for incarcerated populations in Canada.

Therefore, it is the ethical, moral, and professional obligation of health care professionals to advocate for the humane and just treatment of people who are incarcerated and to make specific recommendations regarding solitary confinement.<sup>14-17</sup>

### Recommendations

1. Abolish solitary confinement for administrative segregation. Non-segregation options must be created within correctional facilities, with adequate resources and correctional staff.<sup>18-20</sup>
2. Abolish solitary confinement for youth. Due to their more vulnerable brains, the

negative effects of solitary confinement will have a greater impact on youth.<sup>21</sup>

3. Solitary confinement for medical reasons (including cardiovascular disease, respiratory disease, cancer, infectious disease, liver disease, and/or diabetes) is inappropriate. These people require care that will address their medical health needs rather than exacerbate them in solitary confinement.
4. Solitary confinement for mental illness (including those with post-traumatic stress disorder) is inappropriate. These people require care in a specialized setting that will address the mental health needs rather than exacerbate them in solitary confinement.
5. Solitary confinement for discipline is not recommended. The evidence shows that it is not effective and that better options exist.<sup>16</sup>
6. Until solitary confinement is abolished, correctional facilities should develop and implement independent review procedures of all those in solitary confinement, to address the legality of the confinement, humane conditions of the confinement space, and ensure the health (mental and medical) of people in solitary confinement.
7. Until solitary confinement is abolished, correctional facilities should assure that the biological and health care needs of people in segregation are met. People in solitary confinement should be assessed in person by medical and nursing staff at least daily, in addition to regular assessment by correctional staff. If the person requires health care, then the patient should be seen in a health care setting that maintains confidentiality and dignity.<sup>22</sup>
8. Given that the Canadian Medical Association's Code of Ethics forbids physician participation in any form of torture, in the event that people in prison are held in solitary confinement for longer than 15 days, physicians should continue to assess regularly for the safety of the individual, provide medical care as indicated, bear witness to the inhumane practice of extended solitary confinement, and engage in acts of advocacy to support the health and safety of their patient.

## References

Note: The following references and links were valid for the original document, published in 2016.

1. Shalev S. *A Sourcebook on Solitary Confinement*. London, UK: Mannheim Centre for Criminology, London School of Economics; 2008.
2. UN General Assembly, Resolution 70/175, United Nations Standard Minimum Rules for the Treatment of Prisoners (the Nelson Mandela Rules), A/70/490 (December 17, 2015). <https://documents-dds-ny.un.org/doc/UNDOC/GEN/N15/443/41/PDF/N1544341.pdf?OpenElement>. Accessed November 28, 2022.
3. UN General Assembly, Resolution 66/150, Torture and other cruel, inhuman or degrading treatment or punishment, A/66/462/Add.1 (December 19, 2011).

<https://documents-dds-ny.un.org/doc/UNDOC/GEN/N11/467/82/PDF/N1146782.pdf?OpenElement>.

Accessed November 28, 2022.

4. Shalev S. Solitary Confinement and Supermax Prisons: A Human Rights and Ethical Analysis. *J Forensic Psychol Pract*. 2011;11(2-3):151-183. =
5. Haney C. Mental Health Issues in Long-Term Solitary and “Supermax” Confinement. *Crime & Delinquency*. 2003;49(1):124-156.
6. Kaba F, Lewis A, Glowa-Kollisch S, Hadler J, Lee D, Alper H, et al. Solitary confinement and risk of self-harm among jail inmates. *Am J Public Health*, 2014;104(3):442-447.
7. Kupers T. What To Do With the Survivors? Coping With the Long-Term Effects of Isolated Confinement. *Crim Justice Behav*, 2008;35(8):1005-1016.
8. Tannenbaum D, Konkin J, Parsons E, Saucier D, Shaw L, Walsh A, et al. *CanMEDS – Family Medicine: Working Group on Curriculum Review October 2009*. Mississauga, ON: The College of Family Physicians of Canada; 2009.
9. Buchman S, Woollard R, Meili R, Goel R. Practising social accountability: From theory to action. *Can Fam Physician* 2016;62(1):15-18.
10. The College of Family Physicians of Canada. *The CFPC Social Justice Lens*. Mississauga, ON: The College of Family Physicians of Canada; 2015.  
[https://www.cfpc.ca/CFPC/media/Resources/Health-Policy/SJ\\_Lens\\_Final\\_Print.pdf](https://www.cfpc.ca/CFPC/media/Resources/Health-Policy/SJ_Lens_Final_Print.pdf). Accessed November 28, 2022.
11. Wilkinson R, Marmot M, eds. *Determinants of Health: The Solid Facts, Second Edition*. Copenhagen, Denmark: World Health Organization; 2008.
12. Canadian Nurses Association. *Social Justice ... a means to an end, an end in itself*. Ottawa, ON: Canadian Nurses Association; 2010.
13. The College of Family Physicians of Canada. Prison Health Member Interest Group. <https://www.cfpc.ca/en/member-services/member-interest-groups-section>. Accessed November 28, 2022.
14. Appelbaum KL. American Psychiatry Should Join the Call to Abolish Solitary Confinement. *J Am Acad Psychiatry Law* 2015;43(4):406-415.
15. Webster P. Controls over solitary confinement needed. *CMAJ*. 2015;187(1):E3-E4.
16. Ahalt C, Williams B. Reforming Solitary-Confinement Policy—Heeding a Presidential Call to Action. *N Engl J Med*. 2016;374(18):1704-1706.
17. American Public Health Association, Policy Statement 201310, Solitary Confinement as a Public Health Issue (November 5, 2013). <https://www.apha.org/Policies-and-Advocacy/Public-Health-Policy-Statements/Policy-Database/2014/07/14/13/30/Solitary-Confinement-as-a-Public-Health-Issue>. Accessed November 28, 2022.
18. National Association of State Mental Health Program Directors (NASMHPD). Six Core

Strategies for Reducing Seclusion and Restraint Use. Alexandria, VA: National Association of State Mental Health Program Directors; 2008.

[www.nasmhpd.org/sites/default/files/Consolidated%20Six%20Core%20Strategies%20Document.pdf](http://www.nasmhpd.org/sites/default/files/Consolidated%20Six%20Core%20Strategies%20Document.pdf). Accessed November 28, 2022.

19. Colton D, Xiong H. Reducing seclusion and restraint: questionnaire for organizational assessment. *J Psychiatr Pract* 2010;16(5):358-362.
20. Colton D. Leadership's and program's role in organizational and cultural change to reduce seclusions and restraints. In: *For Our Own Safety: Examining the Safety of High-Risk Interventions for Children and Young People*. Nunno M, Bullard L, Day D, eds. Washington, DC: Child Welfare League of America; 2008.
21. Burke AS. Under construction: Brain formation, culpability, and the criminal justice system. *Int J Law Psychiatry* 2011;34(6):381-385.
22. Enggist S, Møller L, Galea G, Udesen C, eds. *Prisons and Health*. Copenhagen, DK: World Health Organization; 2014.

© 2022 The College of Family Physicians of Canada

All rights reserved. This material may be reproduced in full for educational, personal, and non-commercial use only, with attribution provided according to the citation information below. For all other uses permission must be acquired from the College of Family Physicians of Canada.

How to cite this document:

College of Family Physicians of Canada. *Position Statement on Solitary Confinement*. Mississauga, ON: College of Family Physicians of Canada; 2022.